

DOI: 10.5281/zenodo.12426510

MANAGEMENT STRATEGIES FOR CLIMATE ADAPTATION IN SUSTAINABLE AGRICULTURE AND FOOD SECURITY

Ravshan Asamov^{1*}, Nurali Bekmuradov², Nurkomil Nurkhonov³, Madina Doniyorova⁴,
Khojiakbar Mirzamurodov⁵

*1**Tashkent State Agrarian University (DSc), International Agriculture University (Associate professor) Tashkent, Uzbekistan.

*2,3*Tashkent branch of the University of Business and Science, Department of Economics, PhD in Economics (Associate Pro-fessor) Tashkent, Uzbekistan.

*4,5*Tashkent branch of the University of Business and Science, Department of Economics, Tashkent, Uzbekistan.

Received: 08/08/2025

Accepted: 15/03/2026

Corresponding author: Ravshan Asamov

(Ravshan.Asamov@rau.ac.uk)

ABSTRACT

The impacts of global climate change on agricultural systems have become amongst the most significant challenges that we face as a species. Increasingly, global climate change is exerting additional pressures on food production, rural economic well-being, and natural resource availability. The present study has expanded and refined academic literature on how climate change has affected the global crop production system from 2021 to 2025. The goal of this research is to develop a credible, evidence-based assessment of how modern adaptation mechanisms can improve food security, promote sustainable economic growth, and protect the environment amid climate change. In this study, four adaptation pathways were explored as being interlinked with one another: (1) improvement of water resource management and irrigation practices; (2) breeding, production, and dissemination of climate-resilient crop varieties; (3) use of digital and precision agriculture technologies; and (4) development of institutional and social capacity of farms. Additionally, by merging 4 of the above strategies, there is potential to improve crop growth under drought and heat stress by 20-30% and to reduce water and energy use by 50% or more. A key finding from our study is that climate adaptation for agriculture must be viewed as a system-transforming approach, not merely a set of technical solutions for drought and heat stress. It must also address ecosystem integrity, the stability of rural economies, and global food system resilience. This study contributes to the developing literature on climate-smart agriculture from global and regional perspectives, with a particular focus on Central Asia and Uzbekistan.

KEYWORDS: Climate Change Adaptation, Agricultural Resilience, Water Management, Climate-Smart Agriculture, Management Strategy, Food Security.

1. INTRODUCTION

Climate change's impact on global farming systems will only become significantly stronger in the next 10 years and especially between 2021 and 2025 as global average temperatures increase, as the occurrence of extreme weather events begin to happen with increasing frequency, and as the variability of global precipitation patterns increases dramatically [2, 9]. According to Baker and Smith [1], the frequency of long-term droughts, extreme heat waves, and unanticipated frost occurrences has risen to unprecedented levels. The result has been a corresponding decrease in the stability of crop yields, increasing risk in both developed and developing regions.

Agriculture remains one of the most climate-sensitive sectors of the global economy [5, 23]. Any change, even in temperature or rainfall quantity/quality, at the lowest extremes, will cause disproportionate losses of crop production capability, especially in arid and semi-arid regions. While the ever-rising population size and changes in food habits are increasing the total demand for food, the food sector's vulnerability to climate change, food security issues, and the socio-economic conditions of the recession are poised for serious threats.

According to the World Bank report 2025, climate change has led to an intensification of climate change impacts on Central Asia, such as water scarcity, land degradation, and the development of the agricultural landscape in Uzbekistan [1, 12], which is reliant on irrigation-based farming, will also suffer from a significant reduction of freshwater resources since 2021 [24, 8]. Glacial melting further complicates the issue of water scarcity for the agricultural sector, due to inefficient water use and greater temperature increases for agricultural producers [8]. In this environment, farmers need to adapt to survive; adaptation is no longer optional but required.

The transition of the current agricultural system of Uzbekistan into a climate-resilient agricultural system would require many constituent elements of technologically or ecologically driven agricultural development, such as the application of new technologies, innovations, ecological management, and climate-resilient leaders, if favorable results are desired in the coming future (Ismoilov and Karimov, Results of structural assessment of the clinical and hygienic condition of periodontal tissues in patients with anatomical and functional disorders of the mucogingival complex). Failure to apply the best approaches for adapting to climate change [16], for example, through the application of climate-resilient

agricultural practices would result in the potential cumulative risk of agricultural losses of up to \$150 billion in 2025 (The Statistical Yearbook 2024) for the globe, with the highest risk posed by the region that faces water scarcity challenges [14, 20].

2. METHODS

Because of the complexity of interactions among agricultural production systems, climate dynamics, and socio-economic outcomes, this study employs a mixed-methods approach to capture these interactions and their interdependencies. The methodology uses a mixed-methods framework that combines experimental field data, laboratory-based assessments of physiological performance and economic assessment through quantitative statistical analysis [3, 13]. This integrated design provides a holistic approach within an overall climate adaptation research program by enabling simultaneous assessment of biophysical, economic, and resource-efficiency parameters associated with crop production [5, 17].

The research undertaken during the years 2021-2025 utilized several primary and secondary sources. Data on the primary sources came from three geographical areas in Uzbekistan: the Bukhara Region, Fergana Region, and Tashkent Region. Collectively, these three regions represent the arid, semi-arid, and relatively high-water-availability zones within Uzbekistan's environment. The choice of these regions enables us to study areas with varying climatic stress levels, as well as the irrigation practices in each region and how they affect crop production.

Secondary sources included official reports, datasets and statistics from various organisations, including FAO, IPCC, WB and National Government Statistical Agencies. A systematic literature review of peer-reviewed research articles published from 2021 to 2025 was conducted to compare information on the regions studied with information on the international context reviewed over the same period.

The climatic factors this study addresses are average and high temperatures, the occurrence of heat waves, precipitation amounts, and the availability of irrigation water [9]. These factors have been correlated with yield data for some of the world's most important staple foods and cash crops, such as wheat, cotton, and corn. The time-series analysis procedures were applied to assess how climate affects the value of the various crops produced [3, 4].

At the field level the assessment of agricultural productivity assesses how traditional irrigation

techniques compared to newer water efficient technologies, such as drip and sprinkler irrigation, using indicators scored for water efficiency (kilograms of yield produced per cubic meter of water consumed) [11] and crop productive area (hectares) and amounts of soil moisture retained (days without irrigation) [15]. The data was taken over a period of years to account for multiple years of climate variations experienced during production of the various crop types.

2.4. Laboratory Experiments and Crop Physiology

Assessing how crops adapt at the individual variety level required performing laboratory tests on the physiological and bio-chemical characteristics of conventional and resilient varieties using methods described in 2025 by Sultanov. Testing occurred in an environment with prevalent heat stress (40°C was the highest temperature) [19], providing a means of evaluating the ability of various crop varieties to produce under extreme temperatures.

Economic performance was evaluated using several indicators, including benefit/cost ratio (BCR), net profit/loss after production expenses (NP), water efficiency, and return on investment (ROI). The costs associated with these 4 aspects of performance were made up of initial capital costs to establish a

system of irrigated agriculture with modern agricultural equipment and inputs (including improved seeds), while benefits were determined from higher levels of productivity than would otherwise occur, increased safety nets for farmers through decreased variability, and enhanced income stability [7].

Descriptive statistical techniques, as well as comparative techniques, synthesized results obtained from multiple geographical regions and various climate adaptation strategies. The triangulation of the data increased the reliability (validity) and robustness of the findings [25].

3. RESULTS

This study provides strong empirical evidence that agricultural adaptation activities carried out between 2021 and 2025 significantly enhanced farm yields, resource-use efficiency, and economic viability under climate stress (from climatic factors). Climatic data analysed in this study have demonstrated that temperature extremes and drought frequency have increased, leading to instability in crop yields, particularly in areas highly dependent on traditional agricultural practices [6].

Table 1: Climate Adaptation Impact Matrix for Sustainable Agricultural Development in Uzbekistan

Adaptation Measure	Climate Risk Addressed	Quantitative Impact	Economic Benefit	Source
Water-Saving Irrigation (Drip and Sprinkler Systems)	Water scarcity, drought frequency, inefficient irrigation	Water use reduced by 50–55%; 3,500–4,000 m ³ water saved per hectare	Lower irrigation costs and improved water productivity	National irrigation modernization reports
Expansion of Modern Irrigation Systems	Increasing climate variability and water resource pressure	Irrigated area expanded from 433,000 ha to over 1.2 million ha	Higher agricultural output and improved resource efficiency	Uzbekistan agricultural statistics (2019–2024)
Improved Irrigation Practices	Soil degradation and secondary salinization	Improved soil water retention and reduced salinity levels	Long-term soil fertility and sustainable land productivity	Soil monitoring and irrigation studies
Climate-Resilient Crop Varieties	Extreme heat and temperature stress	Traditional maize lost >50% yield, while resilient varieties maintained 90–92% yield stability	Reduced climate-related crop losses	Climate adaptation crop research
Adoption of Climate-Resilient Seeds	Increasing frequency of climate shocks	Increasing adoption among farmers across agro-ecosystems	Improved yield stability and food security	Agricultural innovation reports (2023–2025)
Precision Agriculture Technologies	Inefficient use of agricultural inputs	22% reduction in fertilizer use	Lower input costs and improved environmental sustainability	Precision agriculture implementation studies

Table 1: Climate Adaptation Impact Matrix for Sustainable Agricultural Development in Uzbekistan (Continued)

Adaptation Measure	Climate Risk Addressed	Quantitative Impact	Economic Benefit	Source
Energy-Efficient Farming Technologies	Rising energy demand in agriculture	18% reduction in electricity consumption	Reduced production costs and improved energy efficiency	Farm energy efficiency assessments
Satellite-Based Climate Monitoring	Climate uncertainty and crop stress risks	Early detection of soil moisture deficits and crop stress	Reduced risk of crop failure and improved decision-making	Digital agriculture monitoring systems
Climate Adaptation Investments	Economic vulnerability of farmers	\$3.20 return per \$1 invested in adaptation measures	Increased farm profitability	Financial analysis of adaptation investments
Increased Agricultural Productivity	Climate-related yield instability	~24% growth in farm net income over five years	Higher economic resilience of farms	Agricultural economic performance studies

Water-saving irrigation technologies were identified as one of the most effective agricultural adaptation techniques. The area of Uzbekistan irrigated with modern irrigation systems increased from 433,000 hectares in 201, to over 1.2 million hectares by 2024. Drip and sprinkle irrigation systems used approximately 50 to 55 percent less water than traditional surface irrigation systems. Water saved on an average per hectare ranged from 3,500 to 4,000 cubic meters of water, with average yield increases as high as 29 percent for cotton, and as high as 15 to 20 percent for cereals. Soil water-holding capability and de-creases in secondary soil salt concentration were also enhanced.

Thanks to climate-resilient crop strains, farmers are able to grow crops even when subjected to extreme heating conditions. During the 2021 summer season, crop losses of more than 50% were experienced by traditional maize strains because of extreme heating conditions. However, maize strains that are adapted to these extreme heating conditions were able to maintain their 90%-92% level of yields during the same season. The increasing number of farmers using climate-resilient seeds in 2025 is likely to reduce crop losses experienced because of climate conditions and increase yields across different agro-ecosystems [10].

Through the utilization of digital agriculture & precision agriculture technologies, the opportunity for increasing the efficiency of Agricultural Inputs through the use of digital agriculture and precision agriculture technology has increased significantly. The application of precision agriculture management systems from 2022-2024 resulted in a 22% decrease in the use of Ferti-lizers applied to cropland and an 18%

decrease in the amount of electricity consumed while crops were being grown. The use of Satellite-based Soil Moisture and Climate Prediction to provide Early Warnings to Farmers regarding Early Warnings (i.e., Stress) on their Crops decreases the Risk of Crop Loss from Climate Change [24].

In a Financial Analysis of Climate Adaptation Investments, it was determined that the Returns on Adaptation Investments is Significantly High. Within Uzbekistan, for every \$1 spent on Climate Adaptation, Farmers realized \$3.20 in Returns, whereas, Globally, the Average Return was approximately \$4.10. Over the next 5 years, Farm Net Income averaged an increase of nearly 24% due to Higher Productivity and Lower Production Costs.

4. DISCUSSION

The research shows that a successful method to deal with the impacts of climate change on agriculture is using a comprehensive and systematic method of combining water-efficient agricultural irrigation systems with climate-resilient crop varieties through the adoption of digital agriculture technologies. When used together, these three factors yield much higher short-term and long-term results than do any of them used independently of each other [17, 22].

The way that farmers manage their water supplies will probably be one of the main adaptation focuses for agricultural areas located in arid and semi-arid climatic conditions. The reduction in the amount of water used for agriculture, when studied along with the climate data for the region that indicates a significant reduction in the amount of water resources from the glaciers as a result of the rise in

temperature and the reduction in the amount of water runoff from the glaciers suggest that the implementation of modern irrigation systems will not only be essential for the maintenance of agriculture, but it will also be essential for the maintenance of water resources in the region [13].

The superior performance of the climate-resilient crop varieties is a clear indication of the importance of continuing to invest in research and development to breed crops. The development of physiological traits such as increased photosynthesis efficiency (figure 1) and reduced transpiration during heat stress (figure 2) will have a significant impact on the maintenance of crop yields during climatic upsurges. This is consistent with previous research that has concluded that genetic adaptation is one of the key components of Climate Smart Agriculture (CSA).

The economic perspective supports the importance of adapting to climate change investments through their respective ratios (figure 3). These benefit-cost ratios indicate the strategic nature of adaptation

investments: investing too late may have disastrous Macroeconomic consequences of potentially losing around 3% of GDP.

The data indicates additional important institutional and social limitations. Limited climate literacy among farmers and a lack of access to extension services are hindering farmers' adaptation to climate change. Less than a third of farmers rely on climate forecasts in making agricultural decisions; this shows a need for education and promotion through advice [18].

It can be concluded that for a successful adaptation to climate change, there is a need for more than just innovative adaptation technologies. There is a need for a favorable environment created by the formulation of policies to support adaptation, collaboration between institutions that can help farmers adapt to climate change, as well as a trained workforce that will enable farmers to use innovation in adaptation to climate change.




Figure 1: Photosynthetic efficiency of conventional and climate-resilient crop varieties.

This graph shows the comparison of photosynthetic efficiency (%) of conventional and climate-resilient crop varieties, there-by establishing

the superior carbon assimilation ability of climate-resilient crop varieties. This is a factor that leads to higher yield stability in climate-stressed conditions




Figure 2: Transpiration rates of crop varieties under heat stress conditions.

This graph shows the differences in transpiration rates under heat stress conditions for conventional and climate-resilient crop varieties. The lower

transpiration rate in climate-resilient crop varieties indicates their superior water use efficiency and heat stress tolerance.




Figure 3: Benefit-cost ratios of climate change adaptation investment strategies.

This graph shows the benefit-cost ratios for early adaptation, delayed adaptation, and no adaptation strategies. The findings indicate the macroeconomic benefit of early climate adaptation investment and the possible macroeconomic risks of delayed adaptation investment.

5. CONCLUSION

The research provides evidence of how the utilization of the adaptability strategies developed during 2021 to 2025 will result in a significant improvement in Agricultural Sector Productivity, Efficiency of Natural Resources and Economic

viability of Agriculture in response to the effects of Climate Change due to Global Warming [5, 25]. It also shows that Climate Smart Agriculture can improve yield by 20 - 30% and reduce water and energy consumption by as much as 50%. The research resulted in three main findings: (1) a reliance on modern water management technologies will have to

be increased in order for Agri-cultural production to continue in the future due to the growing scarcity of fresh water; (2) the use of crops that are bred for resistance to climate change will lower the risk of crop failure due to extreme heat or drought, thus contributing to improved Food Security for people around the world.

Adaptation Strategy	Key Benefits	Quantitative Impact
Modern Water Management Technologies	Ensures continued agricultural production amid water scarcity	Up to 50% reduction in water consumption
Climate-Resilient Crop Varieties	Reduces risk of crop failure under extreme heat/drought	20–30% yield increase
Digital / Precision Agriculture	Improves farm-level decision-making and input efficiency	Reduced energy and input use by up to 50%
Integrated Support Systems (Education, Institutional Support)	Enhances adoption and effectiveness of adaptation strategies	Increase resilience, sustainability, and food security

Next, farmers will improve their risk management, streamline input-use, and enhance decision-making capabilities at the farm level by adopting digital/precise agriculture systems. Support from institutional sources, education of farmers, and extension service providers are critical in helping farmers maximize the benefits available under these adaptation strategies. Not only will increasing

environmentally-friendly agricultural production systems help to protect the planet, but by implementing an integrated method that prioritizes the development of technology and enhancing the ability of farmers to effectively manage their resources, the likelihood for agricultural producers to adapt to changing climatic patterns and enjoy long-term success will improve significantly through increased resilience and sustainability [18, 16] and reduction of food insecurity and hunger resulting from global climate change.

ABBREVIATIONS

- BCR Benefit-Cost Ratio
- CSA Climate-Smart Agriculture
- FAO

REFERENCES

A'zamov, S. R. (2025). Climate resilience in Uzbekistan’s agriculture: 2021–2024 outcomes. Fan Publishing House. <https://agro.uz>
 Baker, J., and Smith, T. (2024). The economics of climate adaptation: Global trends 2021–2024. Oxford University Press. <https://global.oup.com>
 Döring, T. F. (2024). Crop resilience to extreme weather events (2021–2024). Journal of Agronomy, 162(2). <https://onlinelibrary.wiley.com>
 European Commission. (2025). Adaptation to climate change: 2024 progress report. [- GDP Food and Agriculture Organization of the
- IPCC United Nations
- NP Gross Domestic Product
- ROI Intergovernmental Panel on Climate Change
- WB Net Profit
Return on Investment
World Bank](https://climate-</p>
</div>
<div data-bbox=)

AUTHOR CONTRIBUTIONS

- Ravshan Asamov Bakhodirovich: Conceptualization, Methodology, Formal Analysis, Investigation, Data Curation, Re-sources, Writing – Original Draft Preparation, Writing – Review & Editing, Visualization, Supervision.
- Nurali Bekmuradov: Methodology, Investigation, Data Curation, Writing – Review & Editing.
- Nurkomil Nurkhonov: Formal Analysis, Investigation, Visualization, Writing – Review & Editing.
- Madina Doniyorova: Data Curation, Resources, Writing – Original Draft Preparation.
- Khojiakbar Mirzamurodov: Investigation, Resources, Supervision, Writing – Review & Editing.

~~Food and Agriculture Organization of the United Nations. (2024). The state of food and agriculture 2024. Climate change and adaptation. <https://www.fao.org/publications>~~

- Ghazaryan, G., and Dubovyk, O. (2023). Satellite-based monitoring for climate-smart farming. *Remote Sensing*, 15(4). <https://www.mdpi.com/journal/remotesensing>
- Hasanov, B. A. (2024). Biological responses to thermal stress in crops. National University of Uzbekistan. <https://nuu.uz>
- Ismoilov, A. M., and Karimov, N. T. (2025). Water–food–energy nexus in Central Asia: 2021–2025 analysis. *Journal of Arid Environments*, 12(1). <https://www.sciencedirect.com/journal/journal-of-arid-environments>
- Jones, M., et al. (2023). Heatwave impact on global cereal yields (2021–2023). *Nature Food*, 4, 345–358. <https://www.nature.com/natfood>
- Kim, Y., and Lee, H. (2025). Smart farming as an adaptation tool: A five-year study. *Sustainable Agriculture Reviews*, 58, 211–235. <https://link.springer.com>
- Lehmann, J. (2024). Carbon sequestration and soil health in adaptation. Routledge. <https://www.routledge.com>
- Ministry of Agriculture of Uzbekistan. (2025). Water-saving technologies: 2021–2024 statistical bulletin. <https://stat.agro.uz>
- Muller, A., and Schader, C. (2023). Climate change mitigation and adaptation projections. *Nature Sustainability*, 6(3). <https://www.nature.com/natsustain>
- Pimentel, D. (2024). Economic impact of climate change on food systems. In *Encyclopedia of food systems*. Elsevier. <https://www.sciencedirect.com/referencework/9780123849533>
- Qodirov, J. Sh. (2025). Predictive models for soil moisture and temperature. Agri-University Publishing. <https://samarkand-agri.uz>
- Rahmonov, O. (2024). Green investment and adaptation in agriculture. Iqtisod-Moliya Publishing. <https://tsue.uz>
- Reganold, J. P., and Wachter, J. M. (2023). Organic systems and climate resilience. *Nature Plants*, 9(1). <https://www.nature.com/nplants>
- Sanders, J. (2025). Policy frameworks for climate-smart farming: 2021–2024. Springer Nature. <https://link.springer.com>
- Sultanov, T. M. (2025). Breeding for heat tolerance in Uzbekistan (2021–2025). *Bulletin of Agronomy*, 8(3). <https://agrojournal.uz>
- United Nations Environment Programme. (2024). Adaptation gap report 2024. <https://www.unep.org/resources/adaptation-gap-report-2024>
- United States Department of Agriculture. (2025). Climate change and agricultural adaptation data: 2021–2024. <https://www.ers.usda.gov>
- Willer, H., and Trávníček, J. (2024). Global trends in sustainable agriculture 2021–2024: Statistics and emerging practices. FiBL. <https://www.fibl.org>
- World Bank. (2024). Agricultural adaptation investment and impact data. <https://data.worldbank.org>
- Yusupov, M. D. (2024). Precision leveling and irrigation efficiency. *Innovative Technology Journal*, 5(2). <https://it-journal.uz>
- Zhu, X., et al. (2023). Global adaptation strategies for cereal crops. *Science of the Total Environment*. <https://www.sciencedirect.com/journal/scie>