

DOI: 10.5281/zenodo.12426854

DEEP LEARNING TECHNIQUES FOR PLANT AND SOYBEAN LEAF DISEASE DETECTION: A REVIEW OF MODELS, DATASETS, AND RESEARCH CHALLENGES

Ms Pallavee Pravin Bavane^{1*}, Prof. Dr Padma Dandannavar², Prof. Dr Sachin Subhash Patil³

¹Assistant Professor, Department of Computer Science and Engineering, D Y Patil Technical Campus, Talsande, Kolhapur, and Research Scholar, KLS GIT, VTU, Belgavi, India.

²Head- Department of MCA, Anuvartik Mirji Bhartesh Institute of Technology, Belagavi, India.

³Prof. Dr Sachin Subhash Patil, Head- Department of Computer Science and Engineering, Rajarambapu Institute of Technology, Rajaramnagar, India.

Received: 21/10/2025

Accepted: 29/03/2026

Corresponding Author: Ms Pallavee Pravin Bavane

ABSTRACT

Plant diseases have a high impact on agricultural productivity and food security in the world. Plant diagnosis is also critical in avoiding a loss of crops and enhancing agricultural productivity by timely detecting plant diseases. The conventional methods of identifying diseases are by manual inspection and expert knowledge, which are time consuming and have the risk of human error. Over the last few years, deep learning and computer vision methods have evolved as powerful solutions towards automated detection of plant diseases using leaf images. The demand for soybeans as a source of oil and protein on the world market makes them one of the most important crops in the world. Because of this, researchers are now increasingly interested in developing deep learning systems to detect soybean leaf diseases. This paper reviews the recent advancements in the application of deep learning techniques for the identification of plant and soybean leaf diseases. It presents multiple deep learning structures such as convolutional neural networks (CNNs), transformer-based neural networks, hybrids of deep learning, and ensemble techniques. Additionally, the paper discusses the importance of high-quality training data and surveys publicly available datasets used in soybean disease detection. Other important issues analyzed in the study include constraints of the dataset, environmental changes, complexity in computing, and interpretability of the model. Lastly, the paper describes the possible future research directions to enhance the accuracy, robustness, and scalability of automated plant disease detection systems. This review is an overview of the existing studies in the field of deep learning-based detection of plant diseases and an introduction to the study by the prospective researcher in the area of smart agriculture and precision farming technologies.

KEYWORDS: Deep Learning, Plant Disease Detection, Soybean Leaf Disease, Convolutional Neural Networks (CNN), Transformer Models, Hybrid Deep Learning, Transfer Learning, Agricultural Datasets, Precision Agriculture, Computer Vision.

1. INTRODUCTION

Agriculture is a critical sector of the global community as it helps to guarantee food production and maintain the global economy. Nevertheless, plant diseases are one of the biggest challenges facing the productivity of agriculture. Fungal, bacterial, viral and pests- generated diseases may severely impact crop quality and quantity. It is therefore important to diagnose plant diseases at the earliest possible stage and ensure proper management of crops to avoid mass agricultural losses.

Traditional plant disease detection methods primarily rely on manual inspection by farmers or agricultural experts. Though such methods are common, they are usually time-consuming and need domain expertise. The visual manifestations of various diseases can be in many ways similar and fine identification becomes difficult even among the professionals. With the increase in agricultural areas and a more advanced farm management system, manual observation is insufficient to improve chances of early disease detection. Manual observation is not a sufficient measure to get the chance to detect the disease in time. The development of artificial intelligence (AI), specifically deep learning and computer vision, has changed the way the surveillance and detection of plant diseases are conducted. Deep learning method-based systems can analyze images of leaves of vegetation and determine symptoms of diseases with a high accuracy. Conventional neural networks (CNNs), which are among the most popular deep learning structures, have shown outstanding performance in plant disease recognition.

The recent literature has delved into different deep learning methods aiming to identify diseases in different crops like soybean, tomato, potato, apple, and cotton. These methods feed the neural networks with an image of leaves on the agricultural field or in the laboratory to identify the patterns of the diseases [1]. Learning complex features, including color variations, the shape of a lesion, and a certain pattern of texture, is among plant diseases that a variety of models have successfully learned and demonstrated a high classification accuracy.

Soybean is a very significant crop by the world standards; it is extensively utilized in food production, animal, as well as industrial purposes. Nonetheless, the soybean plants are prone to different diseases such as bacterial blight, soybean rust, and leaf spot. These diseases will greatly lower the productivity of crops if they are not identified at an early stage (Farah *et al.* 2023). Consequently, much attention was devoted by researchers to creating

automatic systems of detection of soybean leaf disease using artificial intelligence (deep learning models) [2].

Several deep learning models and datasets have been developed, particularly for soybean disease detection. For example, the SoyNet dataset offers high-resolution images of leaves on soybeans with various diseases to allow researchers to train and test deep learning models more efficiently [3].

This review paper aims to provide a comprehensive summary of existing deep learning techniques for plant and soybean leaf disease detection. The paper presents the latest contributions to this area of research and summarizes widely applied datasets and models, and suggests the problematic aspects and possibilities of future research in the field.

2. RESEARCH GAPS AND MOTIVATION

2.1 Identified Research Gaps

Although the methods of deep learning in plant disease detection have developed rapidly, there are some critical research gaps that continue to exist. The heavy dependence on the manipulated laboratory data is one of the most important problems. Such datasets typically consist of high-quality images captured under controlled lighting and background conditions. These datasets are not an appropriate representation of the agricultural environment, even though they would be useful for training deep learning models. In real life, various factors have an influence on the images of plant leaves. Consequently, the models which are trained using the laboratory data sets, are not always effective in practice. The other major limitation is the design of the traditional convolutional neural networks. Though these models prove very effective in the extraction of local features like edges, textures, and color variations, they are not well suited for the extraction of multi-scale and global information [4]. Plant diseases can be manifested in various forms and sizes within a leaf, and these may be observed in various parts of the leaf in various areas.

The next major research gap is the little regard to the cross-domain generalization by the researchers. Majority of the models have been trained and evaluated on specific datasets, rendering them less effective when applied to other crops, geographical areas, or imaging situations. Moreover, the problem of the imbalance in the classes in the datasets of plant diseases is frequently neglected with certain diseases being overrepresented and other ones having a very small number of representations. This results in biased learning and low detection of rare

diseases. Moreover, deep learning models are often not interpretable, and farmers and other agricultural experts cannot be sure of the system and how it arrives at its decision-making procedures. The lack of explicable AI mechanisms restricts its use in the real world. The other gap is the lack of resistance to multimodal data being incorporated including environmental conditions, soil conditions, and weather data that can play a significant role in defining the occurrence and progression of the disease.

2.2 Motivation for Proposed Framework

The shortcomings observed in previous research present solid reasons as to why a better deep learning framework should be developed. It is also driven by the desire to come up with a model that can work successfully in the agricultural environment. A model of this kind must be able to combat the difference in light, background, and the orientation of the leaves, but should be very accurate. Compared to feature extraction, convolutional neural networks are weak in their ability to capture global patterns. Transformer-based models, on the other hand, are more contextual and computationally expensive. Therefore, a balanced approach is required that combines the advantages of both techniques while minimizing their limitations. The model must be strong enough to be able to work with various datasets and plant species [5]. This means that one must be able to acquire a variety of patterns and be able to fit in different conditions without having to undergo a lot of retraining. Productivity is also an important factor.

Alongside increasing the accuracy and power of the developed framework, there is a compelling urge to develop a framework that will be computationally efficient and applicable to real-world agricultural settings. Many farmers use mobile devices or low-power systems and the proposed model must work with the constrained computational resources. Thus, reducing the trade-off between the level of complexity and performance of the model is one of the major goals. The other incentive is to optimize the system scalability in such a way that the system can be extended to other crops other than soybean without having to revamp the system. This would render the solution more feasible and cost-effective to be used in large scale farming. Furthermore, it is important to add flexibility into the model, as it will constantly be informed by new data and new patterns of diseases to adapt to them. This flexibility guarantees flexibility and sustainability in application and relevance of the system in the

volatile farming environments.

2.3 Multi-Scale Wide-Residual Framework

The Multi-Scale Wide-Residual Framework has been suggested as a remedy to the shortcomings that have been established by the current methods. The framework is based on multi-scale feature extraction followed by wide-residual learning, which enhances the functionality and stability of the plant disease detection models. Multi-scale feature extraction enables the model to examine aspects at varying scales of detail. This is particularly applicable in the case of plant disease detection since the symptoms can be of different sizes and localities. Other diseases may be in the form of small dots, and others may cover a huge portion of the leaf. The model can capture features of various sizes, thereby identifying small-scale features as well as large-scale features. Massive residual connectivity intensifies the flow of information in the network [6]. In contrast to the traditional deep networks, which might be affected by the problem of vanishing gradients, the wide-residual architectures enable the features to propagate better and learn more efficiently.

In addition, the use of multi-scale processing and multi-scale wide-residual connections also helps in enhancing feature recycling and minimizing redundancy in the network. This allows the model to be very performance-intensive and allow subsistence of computational costs. Side-by-side paths of feature extraction can also be facilitated within the framework, enabling the simultaneous extraction of fine-grained and coarse-grained features, thereby improving the accuracy of detection in complex patterns of disease. The other benefit of this architecture is that it is flexible enough to include attention mechanisms that will further enhance the effectiveness of the model in extracting the most relevant parts of the leaf image. This is especially applicable in situations whereby the signs of a disease are so mild or partially covered. Moreover, it can be expanded to accommodate transfer learning and hybridization with transformer elements to be flexible to future changes in deep learning methods and to achieve sustained performance in plant disease detection systems.

3. BACKGROUND OF PLANT DISEASE DETECTION

The possibility of detecting plant diseases has been researched over a long period of time because of its relevance in agricultural processing. Initial studies put most emphasis on manual disease detection systems. The visual assessment of the

leaves was performed by farmers and plant pathologists who were seeking the symptoms like discoloration, lesions and abnormal development patterns. Although the subjectivity and the dependence on the knowledge of the specialists are among the main limitations of such an approach, it is still rather popular.

As digital imaging technology improved, scientists started to apply the method of computer vision to computerize the process of plant disease classification. The initial machine learning models were based on feature extraction methods that were manually formulated. Such techniques included color history, texture features, and shape features among leaf images. The feature extracted was subsequently processed by standard machine learning methods like support vector machines (SVMs) to classify the disease in plants.




Fig. 1: Plant Leaf Disease Identification by Deep Learning Algorithms

Previous studies have demonstrated the use of color analysis and texture extraction techniques for disease detection in rice leaves and other crops through digital images. Likewise, pest detection has been addressed using Support Vector Machine (SVM)-based classification models [7].

Despite achieving moderate success, these methods exhibit several limitations. Complex patterns in the images of plant diseases were frequently not discerned in handcrafted features. Also, such approaches necessitate much knowledge in the domain to come up with good feature extraction methods. Deep learning has had great contributions in the detection of plant diseases since it does not require manual feature extraction. The automatic learning and hierarchical feature learning involved with neural networks take place directly on image information and they can learn the complex visual patterns that are attributed to plant diseases. Consequently, deep learning models have achieved significantly higher accuracy compared to conventional machine learning methods.

4. OVERVIEW OF EXISTING RESEARCH

4.1 Traditional Machine Learning Approaches

As discussed by Yao et al. (2024), the original techniques of plant disease detection have been based on traditional machine learning techniques, which have employed handcrafted feature extraction. The approaches included the methods of extracting features (color, texture, and shape) of leaf images and classifying them. Support vector machines and decision trees are algorithms that have been frequently utilized in this regard.




Fig. 2: Traditional Machine Learning Workflow for Plant Disease Detection

These methods worked well to some extent, especially in controlled conditions where images have been homogeneous and noise has been reduced. They were, however, limited in a few ways. It has been domain knowledge-intensive and could be time-consuming during the process of feature extraction. Also, the handcrafted features could not necessarily conform to the intricate patterns that have been linked with plant diseases. The more categories of diseases featured, the harder it became to develop features that would be able to distinguish them. Those difficulties gave rise to the use of deep learning methods that are able to discover features in the raw data automatically. Alongside more common algorithms like support vector machines and decision trees, other classical machine learning methods like k-nearest neighbours (KNN), random forests, and naive Bayes classifiers have been utilized in plant disease detection tasks. The efficacy of these methods largely depends on the efficacy of feature extraction techniques, which dictate how the classification model will work in general. Histogram of oriented gradients (HOG), gray-level co-occurrence matrix (GLCM), and color histogram have been implemented in large numbers as feature engineering approaches to capture the attributes of leaf images [8]. The effectiveness of the specified techniques, however, will mostly rely on the quality of the hand matters and the skills of the researchers to choose the most topical descriptors.

The other setback with the conventional methods is that they cannot process large volumes of data effectively. Since the volume of agricultural imaging information is increasing at a high rate, the techniques find it difficult to scale up to large sizes, as they require manual preprocessing and feature selection. In addition, conventional models are also adversarial towards noise, variations in illumination and complexities in backgrounds, which are prevalent in real-world agricultural situations. This makes them weaker and less applicable in non-controlled settings.

Also, conventional machine learning methods are typically not adaptable, i.e. a model fitted on one type of crops and disease may not work well when applied on another without substantive adjustment. This generalization limitation cripples their application in a wider range of agricultural applications. Although they have these disadvantages, conventional methods have been used as the basis of automated systems of plant disease identification and serve as the benchmark method to compare with other sophisticated approaches based on deep learning models [9].

4.2 Convolutional Neural Network (CNN)-Based Studies

As explained by Jafar et al. (2024), the capability to learn hierarchical features of image data automatically has enabled convolutional neural networks to be among the most popular techniques of plant disease detection. Such models have several layers, such as convolutional layers, pooling layers, and fully connected layers, that collaborate to identify meaningful patterns in leaf images. The CNNs do exceptionally well in recognizing visual features like spots, discoloration, and lesions, which are typically linked to plant diseases. The advantages of CNN-based models are that these tools can be used to work with large volumes of data and have a high classification rate.

These are able to learn not only low-level features like edges and textures, but also high-level features that are complex patterns of a disease. This renders them very efficient in the detection of disease based on images. They are mainly concerned with local feature extraction and might not be capable of extracting global associations in an image. This may make them less useful in instances where the patterns of diseases are spread over various areas of a leaf. Also, the CNN models are known to consume vast quantities of annotated data to be trained, which is typically hard to find in agricultural settings. Such difficulties have prompted researchers to seek other

methods that can be used to address these drawbacks.

In addition to their capabilities in estimating hierarchical features, CNN-based models have had major improvements with the emergence of advanced architectures, which includes; AlexNet, VGGNet, ResNet, DenseNet and EfficientNet. The architectures have enhanced the performance of plant disease detection systems through the capability of deeper networks with enhanced feature representation and less overfitting. The vanishing gradient problem is solved thanks to the use of residual connections, which are presented in ResNet and make it possible to train indeed deep networks, thereby increasing the classification accuracy [10].

Other methods like data augmentation and regularization, have also been incorporated in CNN models in order to enhance generalization performance. Simulation of real-world variations such as rotation, flipping, cropping, and brightness adjustment and help decrease overfitting. Also, training has been stabilized with the help of dropout and batch normalization to increase the model robustness.

In spite of these developments, CNNs also have some shortcomings. Dependence on large labelled datasets is one of the key problems because they are generally hard and expensive to acquire in agricultural settings. The dataset creation process is time-consuming, as it requires expert knowledge for annotating plant disease images. Moreover, CNNs are computationally intensive and are therefore not well-suited for deployment on resource-constrained devices such as smartphones and embedded systems.

The other difficulty is that CNN-based models are not interpretable. They are even accurate, but one cannot usually tell what features are utilized by the model when making predictions. Grad-CAM and saliency maps are among the techniques which have been applied to counter this problem, yet they fail to offer explanation to the model behaviour fully. These shortcomings imply that more efficient and interpretable models are more necessary in the detection of plant diseases.

4.3 Transfer Learning in Plant Disease Detection

Transfer learning has proved to be a viable solution to the problem of restricted datasets in the detection of plant diseases. This method leverages pre-trained models developed on large datasets for general image representation and fine-tunes them for specific applications [11]. Transfer learning does not

require much training data and calculation since it uses the already known information. Transfer learning can be used in plant disease detection to enable researchers to utilize existing architectures and adapt them to detect disease patterns in leaf images. This methodology has the great benefit of making the model work better, particularly when the data at hand is small or not varied.




Fig. 3: Transfer Learning Process Using Pre-trained Models

Observed that this approach is time-efficient, as it minimizes the training time required compared to building models from scratch. The pre-trained models are usually created to solve the general image recognition problems and may not be capable of reflecting the peculiarities of plant diseases. This implies that there is a need to fine-tune the model to suit the target domain, which remains computationally expensive. Also, transfer learning can be ineffective in situations where the difference between the source and target data is large. These issues notwithstanding, it is a popular and useful method in the detection of plant diseases. The concept of transfer learning has also become widely adopted because of its capacity to utilize knowledge in huge volumes and use it to solve domain-related problems. InceptionV3, VGG16, ResNet50 and MobileNet are all popular pre-trained models being widely used in plant disease detection. Such models are also usually trained with large datasets such as ImageNet and subsequently optimized on smaller agricultural datasets leading to better performance with less training hours [12].

Transfer learning is one of the main solutions to this problem, as it enables the resolution of the problem of small labeled data. The model is able to identify meaningful features using a small dataset by using pre-trained weights. This renders it especially

applicable to agricultural purposes where it is difficult to collect and tag data. Transfer learning also lowers the computational demands relative to model training on clean data, thus it is also less likely to be accumulated into real-world use. Nevertheless, transfer learning has its own limitations. Transfer learning is reliant on the degree of resemblance between the source domain and the target domain. When the given source data is dissimilar to the target data, the features transmitted might not be applicable, and the results will be a decreased performance. The effectiveness of the model may be obstructed by this problem called negative transfer.

Moreover, it can be intricate and time-consuming to carefully select hyperparameters and layers to be retrained to fine-tune pre-trained models. The challenges notwithstanding, transfer learning is a potent method in the process of plant disease detection and remains popular because of its efficiency and effectiveness in terms of handling small data situations.

4.4 Transformer-Based Models

Transformer-based models are an important development in deep learning, especially in ways that demand a comprehension of relationships between data on a global level. Unlike CNNs, transformers analyze images as a whole and effectively capture long-range dependencies through attention mechanisms. This capability makes them highly suitable for identifying complex and subtle patterns in plant disease detection. In the initial image in the plant disease detection, the transformer models are applicable to observe several parts of a leaf simultaneously and establish the relationship between them. This has resulted in improved fine-grained classification and hard-to-detect disease patterns with transformer-based methods. Despite the strengths, transformer models have serious challenges. These models require large volumes of training data and are computationally intensive. This makes them not quite useful in real time application in the agricultural sectors, particularly where resources are scarce [13]. Transformer-type models present complexities with regard to practical agricultural system implementation and optimization. Transformer-type models need more data, increased computational power, and custom hardware for training and deployment than what would normally be available in a resource-constrained environment. The transformer model architecture is based on attention mechanisms, which are more complicated in design, tuning, and interpretation than traditional CNN-type models

(i.e., CNN). As such, they can be very difficult to maximize their performance when deploying them on devices with resource constraints, such as mobile phones or edge systems used by farmers in actual agricultural environments. These limitations highlight how more effective models that can do the same task with fewer computational requirements are required.

Transformer-based models introduce a major advance in deep learning models by emphasizing attention instead of convolution mechanisms. Vision Transformers (ViTs) and their derivatives like Swin Transformer as well as MaxViT have demonstrated encouraging performances in image classification as well as animal disease detection. Such models divide images into patches and interpret them as patterns, enabling the capture of global relationships across the entire image.

Transformer based models are one of the strongest models as they are capable of long-range association of disparate parts of an image. This comes in handy, especially in the case of plant diseases, where the symptoms can be spread over an area of many sections of a leaf. Transformers, unlike CNNs, provide a more global representation of the image. Recent research has shown that transformer-based models have been found to be more accurate on the fine-grained classification tasks than their traditional CNN counterparts. They are also very useful in identifying the nuances of similar categories of diseases which is generally a difficult task in plant pathology.

These models however, have high data and computing requirements. During training of transformers, large datasets and high-performance hardware is required which might be unattainable in most agricultural environments. Moreover, transformers are harder to implement and optimize than CNNs, and it can reduce their use in the real world. To solve these issues, scientists are looking at hybrid solutions involving the use of transformers alongside the CNNs to balance between both performance and efficiency [14]. Despite the constraints mentioned, the transformer-based model is regarded as an avenue of future research in detecting plant diseases because it has a better capacity to convey the global context.

4.5 Hybrid Deep Learning Models

Hybrid deep learning models are developed by using more than one technique to take advantage of the benefits of other architectures. Hybrid algorithms are commonly used in the detection of

plant diseases to combine the strengths of convolutional neural networks with other algorithms and enhance the representation of features and accuracy of classification. The hybrid systems are supposed to integrate local and global characteristics in the image of leaves by combining various models. Among the most significant benefits of hybrid models, it can be noted that they allow the analysis to be more complete than in the case of single models.




Fig. 4: Hybrid Deep Learning Architecture Combining Multiple Models

Hybrid approaches that combine convolutional networks with other learning techniques enhance the model's capability to identify complex disease patterns. It leads to better accuracy and strength, particularly in problematic situations. Nevertheless, hybrid models introduce additional complexity, increasing computational requirements and complicating model design and optimization due to the integration of multiple components. This may limit their application in the real-world agricultural setting where simplicity and efficiency matter.

Hybrid deep learning models combine both types of architectures, i.e., CNN-type architecture and transformer-type architecture, to overcome the limitations of either of these architectures individually. CNNs excel at extracting local features efficiently; however, they do not capture the global context of any given input pattern (i.e., the relationship between all portions of the input data); thus, they may not provide a complete representation of all data. Alternatively, transformer models capture the relationship between all parts of an input but are expensive to compute [15]. A hybrid model that uses both architectures (i.e., CNN + transformer) will yield sufficient accuracy and efficiency with respect to the previously mentioned input representation, thereby improving performance overall. Hybrid methods combine various models into a unified approach that seeks to exploit the advantages of each method without reducing their disadvantages. These models offer a better representation of image features since it represents both local and global information.

As an example, CNN-transformer hybrid models combine the local feature extraction through convolutional layers with global dependencies through transformer layers. It has been demonstrated that this combination enhances classification accuracy and strength, particularly in complicated situations where the patterns of the disease are spread throughout the image. One more instance can be described as CNNs and GNNs integration, where CNNs learn visual attributes and GNNs learn relations among various areas of the picture. By doing this, the model can better comprehend patterns in space and relationships and achieve better results in detection.

Although they have benefits, hybrid models pose new challenges in terms of architecture design and training. They need additional computational resources and parameters that are carefully tuned and this aspect can make them only a few to be implemented in real-world applications. Additionally, increased complexity can lead to longer training times and higher energy consumption. However, hybrid models offer a promising direction for creating sophisticated plant disease detection models based on accuracy, robustness, and generalization [16]. The fact that it combines various paradigms of learning makes them appropriate in solving the varying challenges that exist in the field of agricultural image analysis.

4.6 Publicly Available Datasets for Plant and Soybean Disease Detection

The availability of high-quality datasets plays a very important role in the development and evaluation of deep learning models for plant disease detection. These datasets provide models the data (training and validation) that they need to learn features for precise disease categorization. Several publicly accessible datasets have been created in recent years, which include annotated images of plant foliage that have been impacted by a variety of diseases. Most of these datasets are made up of photos taken in controlled environments with consistent backgrounds and ideal lighting, which makes training models easier but may limit their practicality. Thus, it is important to understand the characteristics and limitations of such existing datasets to develop effective disease detection models. The following section presents a review of the publicly available datasets used in plant and soybean disease detection.

Data sets are very important in designing and testing plant disease detection models (Hassan et al.

(2022). Most of the current research is based on publicly available data sets that contain labeled plant leaf images in controlled conditions. These data sets are applicable in training and benchmarking models since the datasets are of high quality and have precise categories. Yet, the absence of diversity in such datasets can be considered one of the biggest constraints. The images are usually taken in perfect settings with constant sources of light and a background that may not represent real-life agricultural environments [17]. Consequently, predictive models that are trained using these data sets might be effective in testing but fail in real-world applications.

To overcome this problem, researchers apply data augmentation methods to make datasets more diverse artificially. Such techniques include the manipulation of images by applying transformations like rotation, scaling, and various color manipulations. Although they are useful, those approaches lack the ability to produce the variability of the real-world environment. The necessity to have more detailed datasets with images captured in various environmental conditions is increasing.

In addition to popular datasets like PlantVillage and SoyNet, more datasets have been developed to support research on plant disease identification. Such datasets are diverse in size, diversity and quality that greatly affect the model performance. Although controlled datasets offer clean and well-labeled images, they are not always meant to be used in the real world because of their lack of diversity. Researchers have tackled dataset scarcity through data augmentation and synthetic data production technologies. Data augmentation represents the artificial increase of dataset size through the transformation of existing images (i.e., changing properties like rotation, scale, inversion). GANs (Generative Adversarial Networks) further contribute to improving the diversity of datasets, enabling generalization of deep learning models via the generation of new realistic images to utilize for training. These strategies contribute to better generalization of the models but do not necessarily reflect the ground reality.

KSFs (Key Success Factors) assist in conducting processes successfully; therefore, dataset annotation using expert-generated correct labels is a KSF of great importance for creating reliable, deep-learning models and to assure the model achieves a high level of success detecting diseases. Data set annotation is the other KSF. that needs expert knowledge in order to correctly classify diseases. It will be labor

intensive, subject to human error and may compromise the quality of the data set. Also, the imbalance in the number of classes can be observed in most of the datasets, where the number of some diseases is comparatively high, resulting in bias in model predictions. To deal with such problems, there is an increasing demand for large scale, varied and publicly available data sets that contain images taken in varying environmental conditions. Researchers, agricultural institutions, and farmers can form a collective partnership to produce more holistic datasets that are realistic. High-quality and variety of data sets are important factors in the effectiveness of deep learning models [18]. Thus, to enhance the development of plant disease detection studies and guarantee the feasibility of such models, it is important to enhance the process of data collection and annotation.

4.7 Comparative Analysis of Existing Studies

Conducted a review of the differences between traditional machine learning and deep learning techniques, such as Convolutional Neural Networks (CNNs), Transformers, and Hybrid (CNN + Transformer) models, based on existing research comparing these methodologies. While traditional methods' algorithms are much simpler and interpretable than CNNs and Transformers, deep learning involves more complex algorithms capable of producing higher accuracy, requiring significantly more data and computing resources. Simple and interpretable traditional machine learning techniques do not have the ability to model complex patterns. Convolutional neural networks are highly utilized and offer good performance, yet they do not perform well in global feature extraction and need large datasets. Transfer learning enhances efficiency using the pre-trained models, thus it is applicable in situations where data is limited. It might not, however, adapt completely to domain-specific features.




Fig.5: Comparative Analysis of Different Deep Learning Models

The models based on transformers have sophisticated features for capturing global relationships; however, due to the high computation demands, their usage is restricted in practice. Hybrid models have sought to capitalize on the strengths of various approaches giving better accuracy, but they bring forth further complexity. This analogy shows that no individual method can tackle all the issues in the detection of plant diseases [19]. A balanced structure is required to obtain high accuracy, high generalization, and high computational efficiency.

A comprehensive comparison analysis reveals that each technique possesses distinct capabilities tailored to the specific requirements of the application. Existing machine learning algorithms are easily comprehensible, classical, and consume less computing resources; hence, they can be used in simple applications. Nevertheless, they are unable to learn more complicated designs and are inefficient in various settings. CNN-based models exhibit great accuracy and are widely favored for their efficacy in image analysis. They, however, need huge datasets and are not effective at capturing the global context. Transfer learning is a solution to a problem of limited data using the pre-trained models and requires the similarity of domains and effective fine-tuning.

Transformer-based models are more effective in modelling global relationships and dealing with the complicated pattern, though they are also computationally expensive and have a high level of data demand. Hybrid models are models that strive to perform the benefits of various approaches, thus leading to better results but more complexity.

Model scalability and the ability to be deployed is another consideration of importance. Lightweight models and transfer learning methods can be well applied to real-time applications, whereas sophisticated models that include transformers and hybrid models can be better applied to research and high-performance systems.

In general, the comparative study shows that a balanced set in terms of accuracy, efficiency, scalability, and interpretability is necessary. The future research must look at coming up with models that combine the perfection of the various methods but reduce their drawbacks, and the result will be more feasible and effective plant diseases detection systems [20]. A comparative analysis of existing studies—summarized in Table 1—highlights that traditional machine learning, CNN-based, transformer, and hybrid deep learning approaches have distinct strengths and limitations in plant disease detection.

Table 1: Comparative Analysis of Existing Plant Disease Detection Studies

Reference	Model/Architecture	Dataset(s) Used	Performance Metrics	Key Limitations
Duhan et al. (2026)	Lightweight DL Models	Plant datasets	Efficient and fast performance	Slight reduction in accuracy
Sumith and Rashmi (2026)	DL + Super Resolution	Leaf & canopy datasets	Improved image quality and detection	Increased model complexity
Zhao et al. (2025)	CNN, Hybrid DL Models	PlantVillage, Multiple datasets	High classification accuracy	Limited real-world applicability
Khan et al. (2025)	CNN-based DL	Various datasets	Improved detection efficiency	Dataset imbalance, noise
Pranta et al. (2025)	MaxViT	Soybean dataset	High accuracy, speed	Requires large data
Dolatabadian et al. (2025)	ML + DL	Crop datasets	Moderate-high accuracy	Feature sensitivity
Goyal et al. (2025)	Hybrid DL + Hyperspectral	Hyperspectral datasets	High precision	High cost, complexity
Radočaj et al. (2025)	UAV + DL	UAV datasets	Field-level detection	High computation
Shinde & Attar (2025)	UAV-based DL	Soybean UAV dataset	Large-scale detection	Environmental variability
Yao et al. (2024)	Multi-prediction DL	Leaf datasets	High precision/ recall	High complexity
Yani et al. (2024)	CV + DL	Mixed datasets	Reliable performance	Poor generalization
Jafar et al. (2024)	AI-based models	Agricultural datasets	Accurate detection	Interpretability issues
Al Mamun et al. (2024)	Self-supervised learning	Limited labelled data	Reduced labelling need	Lower accuracy
García-Vera et al. (2024)	ML + Hyperspectral	Hyperspectral datasets	Detailed identification	Expensive
Dhaka et al. (2023)	IoT + DL	Smart agriculture datasets	Real-time monitoring	Infrastructure dependency
Hassan et al. (2022)	ML Models	Plant datasets	Basic performance	Low accuracy for complex diseases

5. DEEP LEARNING ARCHITECTURES FOR PLANT DISEASE DETECTION

Deep learning architecture has become the core of the new technology in plant disease detection, especially within the provisions of automated image diagnostics. Recent progress in the field of artificial intelligence has allowed researchers to come up with neural network models that can learn intricate visual features of plant leaf images. These architectures have contributed to a tremendous enhancement of the quality and efficiency of plant disease detectors in comparison with the conventional machine learning models that perform handcrafted features. In the last ten years, several deep learning models have been introduced to solve the problems that surround plant disease classification such as convolutional neural networks (CNNs), transfer learning techniques, transformers, and hybrid deep learning [21]. All these architectures play their own role in enhancing the accuracy of classification, computational efficiency and robustness in the analysis of agricultural image dataset.

5.1 Convolutional Neural Networks (CNNs)

Convolutional neural networks (CNNs) are the most popular deep learning model of detecting

plant diseases. CNNs have proven to be the most appropriate models when it comes to analyzing images since they can identify spatial features of an input image automatically using convolutional operations. The architecture of a common CNN system is composed of multiple layers, such as convolutional layers, pooling layers, activation functions and fully connected layers. These layers collaborate in the detection of patterns including textures, forms and color differences in images. Plant disease detector tasks In plant disease detection tasks, CNNs are trained to identify the symptoms of a disease (e.g. leaf spots, discoloration, bad growth patterns, etc.) directly on raw image data.

Several studies have demonstrated the effectiveness of CNN-based models in plant disease detection. For example, a sophisticated deep learning system was developed to detect and classify plant leaf diseases at an early stage, demonstrating high accuracy when trained on large image datasets to identify symptomatic patterns. These models employ deep convolutional layers to learn hierarchical features that can be both higher level semantic features associated with disease symptoms and lower level features such as edges and textures.




Figure 6: "Architecture diagram for plant disease detection"

Besides the general plant disease detection, CNN architectures have also been broadly used to identify the soybean leaf disease. Researchers have come up with specialized CNNs that can analyze images of soybean leaves and classify various categories of diseases according to the visual symptoms [22]. The patterns that can be successfully identified in these models include lesions, yellowing, and necrotic spots on leaf, that occur frequently with soybean diseases. CNNs perform best at recognition of the various types of diseases that may be visually similar because they are able to capture the spatial relationships in images.

The other notable advancement in CNN-based plant disease detection is the emergence of lightweight CNN models to be used in practical agricultural settings. These compact architectures decrease the computational complexity and still give high classification accuracy. Lightweight networks are designed particularly to be used in mobile and edge computing, which has constraints on computational resources. To illustrate this point, smaller CNN models can be deployed as smartphone programs or embedded into systems that can help farmers find out what is wrong with their plants in the field. This diagnostic capability can enhance crop management and minimize agricultural losses by enabling timely disease detection and intervention.

Besides their robust feature extraction ability, other architectural advancements made with CNNs include residual connections, depth wise separable convolutions and attention modules. These enhancements enable CNNs to develop higher accuracy as well as lessened intricacy in computations. As an example, attention-based CNNs can concentrate on the most important parts of the leaf image, which are the infected areas, hence enhancing classification performance. Furthermore, CNNs may be used in conjunction with segmentation models to localized regions of disease prior to classification, which makes them more interpretable and accurate.

The other notable development is, ensemble CNN models in which multiple CNN architectures are stacked with each other to enhance the reliability of prediction. The ensemble approaches decrease the bias and variance of the model and result in more consistent performance across datasets [23]. Reference CNNs are, nevertheless, yet to be optimized in terms of parameter tuning, training time, and deployment productivity, particularly in real-time application in agriculture.

A basic algorithm for a CNN-based plant disease detection model is presented below. It appears to be poorly organized and lacks complete information. An ideal algorithm or flowchart would clearly outline the steps involved in developing this model, facilitating the reader's understanding of how to acquire plant disease detection from a CNN-based approach. This information can be clarified, for example, by including a diagram to support the written procedures.

"Input: Leaf Image I
Preprocess I (resize, normalize)
For each convolution layer:
Apply filters to extract feature maps **Apply**
activation function (ReLU)
Apply pooling (reduce dimensions) Flatten
feature maps
Pass through fully connected layers **Output:**
Disease class prediction"

5.2 Transfer Learning Approaches

Transfer learning has gained significance as a technique in enhancing the detection of plant diseases especially under conditions where the training data are scarce. Rather than using raw data when training a deep learning model, transfer learning is developed based on already trained neural networks that have been trained on massive image datasets like ImageNet. These models include already known visual features which can be adjusted to a new activity, such as categorizing plant diseases.

The popular pre-trained architectures applied to transfer learning are VGGNet, ResNet, Inception, and DenseNet. These models are first trained using millions of images as represented in thousands of classes facilitating them to acquire generalized visual representations. Researchers subsequently fine-tune the later layers of these networks using plant disease datasets, enabling the models to learn specialized patterns for disease identification.

Transfer learning has a number of benefits in plant disease detection study. First, it saves on a lot of training time since the model already includes useful

features representations. Second, it is more effective in the scenarios of small datasets, which is a typical problem in agricultural studies [24]. Transfer learning models can be transferred to small datasets of agricultural images with high classification performance with the knowledge gained using large-scale datasets. Therefore, transfer learning is a popular method used to come up with effective and accurate systems of detecting plant diseases.

In addition, methods of transfer learning may be classified into feature extraction methods and fine-tuning methods. In feature extraction pre-trained models are provided as fixed feature extractors, with only the target dataset being trained in the final classification levels. Fine-tuning, on the contrary, is a process of modifying certain, or all, model layers to fit the target field more closely. Fine-tuning can be considered more accurate but will consume more computation and need more parameter choices.

The other benefit associated with transfer learning is that it is compatible with lightweight models like MobileNet and EfficientNet which are only made to run on mobile and edge devices. Such models allow detecting diseases in the field in real-time, thus they are very practical to farmers.

Also, transfer learning facilitates domain adaptation methods in which models are adapted to lessen the disparity between the source and target datasets. This is more especially relevant in fields of agriculture where the environmental conditions differ considerably [25]. Although this is effective, the choice of pre-trained model and transfer strategy is a major challenge with a direct effect on the model performance.

5.3 Transformer-Based Models

Over the past years, transformer-based architectures have become viable and effective alternatives to conventional CNN models in computer vision. Transformers are based on attention-based processes as opposed to convolution processes to analyze image data. The attention mechanism also allows the model to determine correlations across various parts of an image which enables it to determine complex variations that might not be easily identified by convolutional filters.

The use of transformer models has shown encouraging performances in the task of detecting plant diseases. The SoyaTrans model, which was created specifically to provide a fine-grained classification of soybean leaf diseases, is among the most notable. Compared to conventional CNN models, this transformer design achieves a high classification rate by using attention mechanisms to

assess minute changes in the visual representation of disease symptoms.

The fact that transformer models can learn global contextual information in images renders them highly effective on complex classification tasks in which there are different disease categories. Contrary to CNNs, which mostly emphasize local characteristics, transformers are able to examine long-range correlation of the whole image. It is their ability to detect subtle differences in patterns of the disease that might be scattered in an area spanning a number of regions within a leaf.

New developments in models based on transformers have proposed hybrid vision transformers and hierarchical transformers that enhance efficiency and scalability. To minimize computational complexity and explore the features of modeling global dependencies, models like Swin Transformer apply shifted window mechanisms. These advancements render transformers more useful in real-life situations, such as detection of plant diseases.

The other major advantage of transformers is that they have the capability of integrating multimodal data. Say, transformers may also fuse image information with other environmental data (i.e. temperature, humidity) to enhance prediction of diseases. This feature creates opportunities for accurate agriculture and intelligent farming systems [26].

Nevertheless, the transformer models continue to be challenged by the stability of training and the data requirement. Their performance sometimes needs large-scale datasets that in the case of agricultural research data are not always accessible. Researchers are looking into self-supervised and semi-supervised learning techniques that minimise the use of labelled data to get around issue.

Transformer-based models are regarded as a promising area of research due to its capacity to adapt, scale, and effectively model intricate relationships in visual data.

5.4 Hybrid Deep Learning Models

Hybrid deep learning models are another interesting method for identifying plant diseases. These models combine different deep learning techniques to improve feature representation and classification. Unlike single-model approaches, hybrid models can efficiently integrate local and global image data because they are modeled using distinct neural network architectures.

The integration of convolutional neural networks and graph neural networks (GNNs) can be regarded

as one of the examples of a hybrid framework. In this method, visual features of leaf images are extracted by CNNs, and GNNs are applied to calculate connections between various feature parts. The combination of this allows the model to reproduce fine structural patterns of plant disease images.

A recent work suggested that a hybrid CNN-GNN model based on soybean disease detection includes convolutional feature extraction and relational learning via a graph. The method proved to be better at classifying images, using both spatial and relational data in the image set.

Hybrid models are particularly useful in agricultural applications where data exhibit complex patterns and involve multiple disease types. With a combination of complementary deep learning techniques, these models can be more accurate and have high generalization levels than traditional single-architecture methods [27]. As a result, hybrid deep learning models are further under consideration as the development of a sophisticated solution for the automated disease detection system in plants.

Attention mechanisms, feature fusion strategies, multi-branch architecture can also be added to hybrid models to increase performance. Using feature fusion allows the combination of the results of multiple models enhancing feature representation. Multi-branch architecture allows computing various features of the input image at the same time, e.g. texture and structure, which improves accuracy of classification.

The other trend which is emerging is the use of CNN-transformer hybrid, where CNN layers are used to extract local features and transformer layers extract global dependencies. This collaboration offers a middle way solution that compensates the flaws of each architecture. Besides, pruning and quantization may be applied to optimize hybrid models, reducing their computational cost and thereby being more suitable to be deployed in resource-constrained settings.

The hybrid models have high generalization abilities and resilience in different datasets though they are complex. They come in handy especially when dealing with every tricky situation like the similarity of symptoms of diseases to be dealt with and also noises in the background.

An illustration (in the form of pseudocode) of how hybrid CNN and Transformer models function together to produce plant disease detection predictions is depicted below. This pseudocode illustrates how the local features extracted by the CNN are fused with the global relationships

captured by the Transformers before passing them through a classification layer for final classification. This illustration must also be in algorithm or architectural diagram format.

*"Input: Leaf Image I Preprocess I
CNN Module:
Extract local features F_{local} Transformer
Module:
Divide image into patches
Apply attention mechanism to get F_{global}
Fusion Layer:
Combine F_{local} and F_{global} Classification
Layer:
Predict disease class Output: Final prediction"*

6. DATASETS FOR SOYBEAN LEAF DISEASE DETECTION

The datasets are essential in training and evaluating the deep learning models. Good quality data sets allow models to obtain various patterns of disease, and generalization will be best.

The SoyNet dataset has been one of the most prominent datasets applied in the detection of soybean diseases. This dataset consists of high-resolution images of soybean leaves affected by various diseases and was developed to facilitate the training of deep learning models.

Plant disease data is broadly divided into two:

1. Lab datasets that have regulated lighting and grounds.
2. Real-life field data in agricultural settings.

The use of laboratory data sets can be useful as it gives quality images, but they do not however depict the actual situation in the field. Datasets in the field are more difficult since the datasets involve variations in light, background clutter, and the orientation of the leaves.

Techniques of data augmentation are common among augmenting the diversity of datasets. Some typical augmentation methods are rotation, flipping, scaling and color transformation. The methods assist in avoiding overfitting and enhancing model robustness.

This section repeats some of the previous information from earlier sections about datasets,

although it is retained if it focuses specifically on soybean datasets. In addition to retaining the content of this section, also include greater detail about the characteristics and attributes of soybean datasets which includes their size, annotation method and limitations in actual field conditions. Moreover, expand on the unique effects of environmental variability on disease detection in soybeans as well as

the necessity for extra data due to these environmental variabilities. Finally, include challenges such as class imbalances and domain shifts in relation to soybean datasets. Through adding crop specific information and greater theoretical background, this section is a unique and justified section as opposed to a repetitive one.

7. APPLICATIONS OF DEEP LEARNING IN AGRICULTURE

Deep learning-based systems of detecting plant diseases can be utilized in agriculture in multiple ways.

Disease diagnosis via smartphone is one of these applications. The deep learning models can recognize an alleged disease immediately; plant farmers can use mobile devices to take pictures of the leaves on the planes.

Crop monitoring by drones is another service. The aerial shots of the farmland can be taken by the unarmed aerial vehicles (UAVs), and plant diseases can be identified on a mass level automatically [28].

Artificial intelligence in smart farming systems is also included with deep learning models. These systems involve sensors, cameras and artificial intelligence to constantly scan crop health and present real-time information to the farmers.

Precision agriculture is an important application of such technologies, and data-driven decision-making facilitates crop management optimization and decreases pesticide application.

8. CHALLENGES IN PLANT DISEASE DETECTION

Even with the great advancements, numerous problems still exist in the development of plant disease detection systems that will be reliable.

Dataset Limitations

A large portion of datasets regarding plant diseases is somewhat small and lacking in diversity. Small datasets may cause the overfitting of the model and inefficient generalizations to the real data.

Environmental Variability

The practical agricultural situation has dissimilar lighting conditions, background clutter, and the position of the leaves. These are able to lower the accuracy of deep learning models that are trained using controlled datasets.

Similar Disease Symptoms

Various plant ailments are also known to resemble other ailments as they have comparable

visual signs; hence classifying them becomes challenging.

Computational Requirements

Prominent deep learning models are extremely resource-intensive, and thus they may not be able to be deployed in resource strained systems.

Model Interpretability

Deep learning models are deemed as black boxes and it is hard to see how they make decisions.

9. FUTURE RESEARCH DIRECTIONS

Future studies need to understand how to come up with bigger and more heterogeneous datasets to assist in the detection of plant diseases. The joint data collection programs can be used to enhance the quality of datasets and reflect actual agricultural scenarios.

Lightweight deep learning architectures come in sizes, and so researchers should also investigate how to realize them to run efficiently on mobile devices and edge computing systems.

The other promising trend is integration of various sources of data like hyperspectral imaging, weather data and ground data to enhance accuracy of detecting disease.

To establish trust among the farmers and agricultural experts, it is also necessary to enhance explainability in deep learning models.

10. CONCLUSION

The recent advancement in deep learning has greatly facilitated the technical revolution with respect to the identification of plant diseases through the automated analysis of images of plant leaves. Other deep learning models such as CNNs, transformer models and hybrid networks have been shown to perform well in the detection of plant diseases.

The economic significance of the crop has given increased attention to the detection of soybean disease. The creation of particular datasets SoyNet, and the use of complicated deep learning networks have facilitated major advancements in this direction.

Nevertheless, there are still several challenges such as constraints of datasets, environmental uncertainty, and computational complexity. To solve these problems, the interaction of researchers, agricultural specialists, and developers of technologies will be needed.

Additional studies should be conducted in the future to develop powerful, scalable and

understandable disease detectors capable of functioning as an effective in vivo agricultural device. With the development of artificial intelligence and computer vision, it can be assumed

that the creation of intelligent agricultural devices that will be able to contribute to the process of crop health monitoring and to promotion of sustainable food production can be conducted.

REFERENCES

- [1] Al Mamun, A., Ahmedt-Aristizabal, D., Zhang, M., Hossen, M.I., Hayder, Z. and Awrangjeb, M., 2024. Plant disease detection using self-supervised learning: A systematic review. *IEEE Access*, 12, pp.171926-171943.
- [2] Albattah, W., Nawaz, M., Javed, A., Masood, M. and Albahli, S., 2022. A novel deep learning method for detection and classification of plant diseases. *Complex & Intelligent Systems*, 8(1), pp.507-524.
- [3] Bhargava, A., Shukla, A., Goswami, O.P., Alsharif, M.H., Uthansakul, P. and Uthansakul, M., 2024. Plant leaf disease detection, classification, and diagnosis using computer vision and artificial intelligence: A review. *IEEE access*, 12, pp.37443-37469.
- [4] Dhaka, V.S., Kundu, N., Rani, G., Zumpano, E. and Vocaturo, E., 2023. Role of internet of things and deep learning techniques in plant disease detection and classification: A focused review. *Sensors*, 23(18), p.7877.
- [5] Dolatabadian, A., Neik, T.X., Danilevicz, M.F., Upadhyaya, S.R., Batley, J. and Edwards, D., 2025. Image based crop disease detection using machine learning. *Plant Pathology*, 74(1), pp.18-38.
- [6] Duhan, S., Gulia, P., Gill, N.S., Oliveira, T.A. and Singh, P.K., 2026. Evaluation of lightweight and efficient deep learning models for plant disease classification. *Discover Internet of Things*.
- [7] Ebrahimi, M.A., Khoshtaghaza, M.H., Minaei, S. and Jamshidi, B., 2017. Vision-based pest detection based on SVM classification method. *Computers and Electronics in Agriculture*, 137, pp.52-58.
- [8] Farah, N., Drack, N., Dawel, H. and Buettner, R., 2023. A deep learning-based approach for the detection of infested soybean leaves. *IEEE access*, 11, pp.99670-99679.
- [9] García-Vera, Y.E., Polochè-Arango, A., Mendivelso-Fajardo, C.A. and Gutiérrez-Bernal, F.J., 2024. Hyperspectral image analysis and machine learning techniques for crop disease detection and identification: A review. *Sustainability*, 16(14), p.6064.
- [10] Goyal, S.B., Malik, V., Rajawat, A.S., Khan, M., Ikram, A., Alabdullah, B. and Almjally, A., 2025. Smart intercropping system to detect leaf disease using hyperspectral imaging and hybrid deep learning for precision agriculture. *Frontiers in Plant Science*, 16, p.1662251.
- [11] Hassan, S.M., Amitab, K., Jasinski, M., Leonowicz, Z., Jasinska, E., Novak, T. and Maji, A.K., 2022. A survey on different plant diseases detection using machine learning techniques. *Electronics*, 11(17), p.2641.
- [12] Jafar, A., Bibi, N., Naqvi, R.A., Sadeghi-Niaraki, A. and Jeong, D., 2024. Revolutionizing agriculture with artificial intelligence: plant disease detection methods, applications, and their limitations. *Frontiers in Plant Science*, 15, p.1356260.
- [13] Jahin, M.A., Shahriar, S., Mridha, M.F., Hossen, M.J. and Dey, N., 2025. Soybean disease detection via interpretable hybrid CNN-GNN: Integrating MobileNetV2 and GraphSAGE with cross-modal attention. *arXiv preprint arXiv:2503.01284*.
- [14] Khan, S.U., Alsuhaibani, A., Alabduljabbar, A., Almarshad, F., Altherwy, Y.N. and Akram, T., 2025. A review on automated plant disease detection: motivation, limitations, challenges, and recent advancements for future research. *Journal of King Saud University Computer and Information Sciences*, 37(3), p.34.
- [15] Pandian, J.A., Kanchanadevi, K., Kumar, V.D., Jasińska, E., Goño, R., Leonowicz, Z. and Jasiński, M., 2022. A five convolutional layer deep convolutional neural network for plant leaf disease detection. *Electronics*, 11(8), p.1266.
- [16] Pranta, A.S.U.K., Fardin, H., Debnath, J., Hossain, A., Sakib, A.H., Ahmed, M.R., Haque, R., Reza, A.W. and Dewan, M.A.A., 2025. A novel maxvit model for accelerated and precise soybean leaf and seed disease identification. *Computers*, 14(5), p.197.
- [17] Radočaj, D., Radočaj, P., Plaščak, I. and Jurišić, M., 2025. Evolution of Deep Learning Approaches in UAV-Based Crop Leaf Disease Detection: A Web of Science Review. *Applied Sciences*, 15(19), p.10778.
- [18] Rajput, A.S., Shukla, S. and Thakur, S.S., 2023. SoyNet: A high-resolution Indian soybean image dataset for leaf disease classification. *Data in Brief*, 49, p.109447.
- [19] Salka, T.D., Hanafi, M.B., Rahman, S.M.S.A.A., Zulperi, D.B.M. and Omar, Z., 2025. Plant leaf disease detection and classification using convolution neural networks model: a review. *Artificial Intelligence Review*, 58(10), p.322.
- [20] Sharma, V., Tripathi, A.K., Mittal, H. and Nkenyereye, L., 2025. SoyaTrans: A novel transformer model for

fine-grained visual classification of soybean leaf disease diagnosis. *Expert Systems with Applications*, 260, p.125385.

[21] Shewale, M.V. and Daruwala, R.D., 2023. High performance deep learning architecture for early detection and classification of plant leaf disease. *Journal of Agriculture and Food Research*, 14, p.100675.

[22] Shinde, S. and Attar, V., 2025. An Indian UAV and leaf image dataset for integrated crop health assessment of soybean crop. *Data in Brief*, 60, p.111517.

[23] Sumith, N. and Rashmi, M., 2026. A systematic review of deep learning and super resolution techniques for leaf level and canopy level plant disease detection. *Discover Artificial Intelligence*.

[24] Wu, Q., Ma, X., Liu, H., Bi, C., Yu, H., Liang, M., Zhang, J., Li, Q., Tang, Y. and Ye, G., 2023. A classification method for soybean leaf diseases based on an improved ConvNeXt model. *Scientific Reports*, 13(1), p.19141.

[25] Yani, N.A.N.A., Fauzi, S.S.M., Zaki, N.A.M. and Ismail, M.H., 2024. A systematic literature review on leaf disease recognition using computer vision and deep learning approach. *Journal of Information Systems Engineering and Business Intelligence*, 10(2), pp.232-249.

[26] Yao, J., Tran, S.N., Garg, S. and Sawyer, S., 2024. Deep learning for plant identification and disease classification from leaf images: multi-prediction approaches. *ACM computing surveys*, 56(6), pp.1-37.

[27] Yu, M., Ma, X., Guan, H., Liu, M. and Zhang, T., 2022. A recognition method of soybean leaf diseases based on an improved deep learning model. *Frontiers in plant science*, 13, p.878834.

[28] Zhao, J., Xu, L., Ma, Z., Li, J., Wang, X., Liu, Y. and Du, X., 2025. A review of plant leaf disease identification by deep learning algorithms. *Frontiers in Plant Science*, 16, p.1637241.